

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Boysenberry Vanilla

Batch ID or Lot Number: ML001	Test: Potency	Reported: 14Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000238140	Started: 10Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.152	0.475	0.570	0.00	# of Servings = 1, Sample Weight=360g
Cannabichromenic Acid (CBCA)	0.139	0.434	ND	ND	
Cannabidiol (CBD)	0.508	1.420	16.860	0.00	
Cannabidiolic Acid (CBDA)	0.521	1.456	ND	ND	
Cannabidivarin (CBDV)	0.120	0.336	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.218	0.607	ND	ND	
Cannabigerol (CBG)	0.086	0.270	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.360	1.127	ND	ND	
Cannabinol (CBN)	0.112	0.352	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.245	0.769	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.429	1.343	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.389	1.220	4.630	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.345	1.081	ND	ND	
Tetrahydrocannabivarin (THCV)	0.078	0.245	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.304	0.953	ND	ND	
Total Cannabinoids			22.060	0.00	
Total Potential THC			4.630	0.00	
Total Potential CBD			16.860	0.00	

Final Approval



Sam Smith
14Mar2023
01:52:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
14Mar2023
01:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/06eb6d7f-16df-4de5-ae00-75a311105a58>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

06eb6d7f16df4de5ae0075a311105a58.1