

Prepared for:
Lumna Inc

PO Box 4470
Stateline, NV USA 89449


Calm and Uplifted

Batch ID or Lot Number:	Test: Potency	Reported: 16Aug2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000252476	Started: 15Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Aug2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.002	0.006	ND	ND	
Cannabichromenic Acid (CBCA)	0.002	0.005	ND	ND	
Cannabidiol (CBD)	0.007	0.015	ND	ND	
Cannabidiolic Acid (CBDA)	0.007	0.015	ND	ND	
Cannabidivarin (CBDV)	0.002	0.003	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.003	0.006	ND	ND	
Cannabigerol (CBG)	0.001	0.003	0.380	3.80	
Cannabigerolic Acid (CBGA)	0.006	0.013	ND	ND	
Cannabinol (CBN)	0.002	0.004	ND	ND	
Cannabinolic Acid (CBNA)	0.004	0.009	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.007	0.016	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.006	0.014	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.006	0.013	ND	ND	
Tetrahydrocannabivarin (THCV)	0.001	0.003	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.005	0.011	ND	ND	
Total Cannabinoids			0.380	3.80	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
16Aug2023
05:20:00 PM MDT

PREPARED BY / DATE



APPROVED BY / DATE

Karen Winternheimer
16Aug2023
05:23:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/2c61927b-ada5-457d-a004-0e9822d2a843>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

2c61927bada5457da0040e9822d2a843.1