

Prepared for:  
**CanniLabs**

10555 W Dongs Ct  
Milwaukee, WI USA 53224

## 30mg CBD Broad Spectrum Gummies

Batch ID or Lot Number: <b>30BS08182</b>	Test: <b>Potency</b>	Reported: <b>07Feb2023</b>	USDA License: N/A
Matrix: Unit	Test ID: T000234612	Started: 03Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03Feb2023	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.443	1.244	ND	ND	# of Servings = 1, Sample Weight=5.9g
Cannabichromenic Acid (CBCA)	0.405	1.138	ND	ND	
Cannabidiol (CBD)	1.180	3.437	31.370	5.50	
Cannabidiolic Acid (CBDA)	1.210	3.525	ND	ND	
Cannabidivarin (CBDV)	0.279	0.813	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.505	1.471	ND	ND	
Cannabigerol (CBG)	0.252	0.706	ND	ND	
Cannabigerolic Acid (CBGA)	1.052	2.953	ND	ND	
Cannabinol (CBN)	0.328	0.921	ND	ND	
Cannabinolic Acid (CBNA)	0.718	2.015	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.253	3.518	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.138	3.195	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.009	2.831	ND	ND	
Tetrahydrocannabivarin (THCV)	0.229	0.642	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.890	2.497	ND	ND	
<b>Total Cannabinoids</b>			<b>31.370</b>	<b>5.50</b>	
Total Potential THC			ND	ND	
Total Potential CBD			31.370	5.50	

### Final Approval

  
PREPARED BY / DATE  
Sam Smith  
07Feb2023  
11:17:00 AM MST

  
APPROVED BY / DATE  
Karen Winternheimer  
07Feb2023  
11:26:00 AM MST



<https://results.botanacor.com/api/v1/coas/uuid/31323e5c-70a1-4021-b09f-123f42a2407d>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Call #4329.02  
31323e5c70a14021b09f123f42a2407d.1