

Prepared for:  
**Little Bird**

PO Box 1073  
Brevard, NC USA 28712


## Everyday Oasis Moisturizing Salve

Batch ID or Lot Number: <b>E21108</b>	Test: <b>Potency</b>	Reported: <b>18Nov2022</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000227407	Started: 16Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Nov2022	Status: N/A

## Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.017	0.061	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.016	0.056	ND	ND	
Cannabidiol (CBD)	0.062	0.162	1.400	14.00	
Cannabidiolic Acid (CBDA)	0.064	0.166	<LOQ	<LOQ	
Cannabidivarin (CBDV)	0.015	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.027	0.069	ND	ND	
Cannabigerol (CBG)	0.010	0.035	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.041	0.145	ND	ND	
Cannabinol (CBN)	0.013	0.045	ND	ND	
Cannabinolic Acid (CBNA)	0.028	0.099	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.049	0.173	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.044	0.157	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.039	0.139	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.032	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.035	0.123	ND	ND	
<b>Total Cannabinoids</b>			<b>1.400</b>	<b>14.00</b>	
Total Potential THC			0.000	0.00	
Total Potential CBD			1.400	14.00	

## Final Approval



Karen Winternheimer  
18Nov2022  
03:22:00 PM MST

PREPARED BY / DATE



Sam Smith  
18Nov2022  
03:23:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4428860a-b340-4f1e-b831-6ac4f54b1200>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

4428860ab3404f1eb8316ac4f54b1200.1