

Prepared for:

Armitage Apothecary LLC2811 21st St
Boulder, CO USA 80304**Good Night Roll On**

Batch ID or Lot Number: 10500P	Test: Potency	Reported: 12Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000255476	Started: 08Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.542	1.838	ND	ND	# of Servings = 1, Sample Weight=9.2g
Cannabichromenic Acid (CBCA)	0.496	1.681	ND	ND	
Cannabidiol (CBD)	1.813	4.606	327.200	35.60	
Cannabidiolic Acid (CBDA)	1.860	4.724	ND	ND	
Cannabidivarin (CBDV)	0.429	1.089	4.190	0.50	
Cannabidivarinic Acid (CBDVA)	0.776	1.971	ND	ND	
Cannabigerol (CBG)	0.308	1.044	ND	ND	
Cannabigerolic Acid (CBGA)	1.287	4.363	ND	ND	
Cannabinol (CBN)	0.401	1.361	36.370	4.00	
Cannabinolic Acid (CBNA)	0.878	2.976	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.533	5.197	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.392	4.720	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.233	4.182	ND	ND	
Tetrahydrocannabivarin (THCV)	0.280	0.949	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.088	3.689	ND	ND	
Total Cannabinoids			367.760	40.10	
Total Potential THC			ND	ND	
Total Potential CBD			327.200	35.60	

Final ApprovalKaren Winternheimer
12Sep2023
11:21:00 AM MDT

PREPARED BY / DATE

Sam Smith
12Sep2023
11:22:00 AM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/5735d20c-9163-420f-b8ae-c13dc2c04229>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

5735d20c9163420fb8aec13dc2c04229.1