

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE


Minneapolis, MN USA 55413

Mandarin Orange Vanilla #2

Batch ID or Lot Number:	Test: Potency	Reported: 10Nov2023	USDA License: N/A
Matrix: Unit	Test ID: T000261448	Started: 10Nov2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Nov2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.155	0.489	ND	ND	# of Servings = 1, Sample Weight=355.02g
Cannabichromenic Acid (CBCA)	0.141	0.448	ND	ND	
Cannabidiol (CBD)	0.493	1.337	4.970	0.00	
Cannabidiolic Acid (CBDA)	0.506	1.372	ND	ND	
Cannabidivarin (CBDV)	0.117	0.316	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.211	0.572	ND	ND	
Cannabigerol (CBG)	0.088	0.278	ND	ND	
Cannabigerolic Acid (CBGA)	0.367	1.162	ND	ND	
Cannabinol (CBN)	0.114	0.362	ND	ND	
Cannabinolic Acid (CBNA)	0.250	0.792	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.437	1.384	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.397	1.257	10.200	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.352	1.113	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.253	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.310	0.982	ND	ND	
Total Cannabinoids			15.170	0.00	
Total Potential THC			10.200	0.00	
Total Potential CBD			4.970	0.00	

Final ApprovalKaren Winternheimer
10Nov2023
02:23:00 PM MST

PREPARED BY / DATE

Sam Smith
10Nov2023
02:24:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/62ce93e3-8b8e-4381-8998-b1b3b3ff4010>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

62ce93e38b8e43818998b1b3b3ff4010.1