

Prepared for:

Armitage Apothecary LLC2811 21st St
Boulder, CO USA 80304**CBD Bath Fizz**

Batch ID or Lot Number: 2281-101P	Test: Potency	Reported: 19Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000232856	Started: 17Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Jan2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.390	4.162	ND	ND	# of Servings = 1, Sample Weight=74.7g
Cannabichromenic Acid (CBCA)	1.271	3.807	ND	ND	
Cannabidiol (CBD)	3.589	11.231	193.060	2.60	
Cannabidiolic Acid (CBDA)	3.682	11.519	ND	ND	
Cannabidivarin (CBDV)	0.849	2.656	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.536	4.805	ND	ND	
Cannabigerol (CBG)	0.789	2.363	ND	ND	
Cannabigerolic Acid (CBGA)	3.299	9.878	ND	ND	
Cannabinol (CBN)	1.029	3.083	ND	ND	
Cannabinolic Acid (CBNA)	2.251	6.740	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.930	11.769	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.569	10.688	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.162	9.470	ND	ND	
Tetrahydrocannabivarin (THCV)	0.718	2.149	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.789	8.353	ND	ND	
Total Cannabinoids			193.060	2.60	
Total Potential THC			ND	ND	
Total Potential CBD			193.060	2.60	

Final ApprovalKaren Winternheimer
19Jan2023
03:42:00 PM MST

PREPARED BY / DATE

Sam Smith
19Jan2023
03:43:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/7a407df9-01fb-48a9-8907-72e0b40ec2f2>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

7a407df901fb48a9890772e0b40ec2f2.1