

Prepared for:

Armitage Apothecary LLC2811 21st St
Boulder, CO USA 80304**CBD//CBN Good Night Roll On**

Batch ID or Lot Number: 2281-10500J	Test: Potency	Reported: 19Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000232864	Started: 17Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Jan2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.525	1.572	ND	ND	# of Servings = 1, Sample Weight=9g
Cannabichromenic Acid (CBCA)	0.480	1.437	ND	ND	
Cannabidiol (CBD)	1.355	4.241	277.850	30.90	
Cannabidiolic Acid (CBDA)	1.390	4.350	ND	ND	
Cannabidivarin (CBDV)	0.321	1.003	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.580	1.814	ND	ND	
Cannabigerol (CBG)	0.298	0.892	ND	ND	
Cannabigerolic Acid (CBGA)	1.246	3.730	ND	ND	
Cannabinol (CBN)	0.389	1.164	92.900	10.30	
Cannabinolic Acid (CBNA)	0.850	2.545	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.484	4.444	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.348	4.036	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.194	3.576	ND	ND	
Tetrahydrocannabivarin (THCV)	0.271	0.812	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.053	3.154	ND	ND	
Total Cannabinoids			370.750	41.20	
Total Potential THC			ND	ND	
Total Potential CBD			277.850	30.90	

Final ApprovalKaren Winternheimer
19Jan2023
03:42:00 PM MST

PREPARED BY / DATE

Sam Smith
19Jan2023
03:43:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/84191f1a-f163-4a36-919a-2d7ba681a988>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

84191f1a-f163a36919a2d7ba681a988.1