

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Canna Blissed POG #2

Batch ID or Lot Number: 002	Test: Potency	Reported: 14Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000221367	Started: 14Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.298	1.011	ND	ND	# of Servings = 1, Sample Weight=750g
Cannabichromenic Acid (CBCA)	0.272	0.924	ND	ND	
Cannabidiol (CBD)	0.895	2.686	ND	ND	
Cannabidiolic Acid (CBDA)	0.918	2.755	ND	ND	
Cannabidivarin (CBDV)	0.212	0.635	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.383	1.149	ND	ND	
Cannabigerol (CBG)	0.169	0.574	ND	ND	
Cannabigerolic Acid (CBGA)	0.706	2.399	ND	ND	
Cannabinol (CBN)	0.220	0.749	ND	ND	
Cannabinolic Acid (CBNA)	0.482	1.636	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.842	2.858	1.020	0.00	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.764	2.595	12.630	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.677	2.299	ND	ND	
Tetrahydrocannabivarin (THCV)	0.154	0.522	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.597	2.028	ND	ND	
Total Cannabinoids			13.650	0.02	
Total Potential THC			12.630	0.02	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
14Sep2022
03:02:00 PM MDT

PREPARED BY / DATE



Daniel Weidensaul
14Sep2022
03:06:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/98febdffa-745f-46cd-8a03-7a8ee82de1d0>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

98febdffa745f46cd8a037a8ee82de1d0.1