

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413


Peach Tea

Batch ID or Lot Number: 0007	Test: Potency	Reported: 28Feb2023	USDA License: N/A
Matrix: Unit	Test ID: T000236460	Started: 24Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.206	0.669	<LOQ	<LOQ	# of Servings = 1, Sample Weight=453g
Cannabichromenic Acid (CBCA)	0.188	0.612	ND	ND	
Cannabidiol (CBD)	0.573	1.718	11.170	0.00	
Cannabidiolic Acid (CBDA)	0.588	1.762	ND	ND	
Cannabidivarin (CBDV)	0.136	0.406	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.245	0.735	ND	ND	
Cannabigerol (CBG)	0.117	0.380	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.488	1.589	ND	ND	
Cannabinol (CBN)	0.152	0.496	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.333	1.084	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.582	1.893	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.528	1.719	10.780	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.468	1.523	ND	ND	
Tetrahydrocannabivarin (THCV)	0.106	0.346	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.413	1.343	ND	ND	
Total Cannabinoids			21.950	0.00	
Total Potential THC			10.780	0.00	
Total Potential CBD			11.170	0.00	

Final Approval



Sam Smith
28Feb2023
03:23:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
28Feb2023
03:37:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ac4246ea-8e7b-4eb7-ab0d-2fd8ac6c348e>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

ac4246ea8e7b4eb7ab0d2fd8ac6c348e.1