


Prepared for:

CanniLabs10555 W Dongs Ct
Milwaukee, WI USA 53224**50mg CBD Broad Spectrum Softgels**

Batch ID or Lot Number: 7282	Test: Potency	Reported: 18May2023	USDA License: N/A
Matrix: Unit	Test ID: T000243455	Started: 18May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.100	0.325	<LOQ	<LOQ	# of Servings = 1, Sample Weight=0.617g
Cannabichromenic Acid (CBCA)	0.092	0.297	ND	ND	
Cannabidiol (CBD)	0.278	0.828	39.490	64.00	
Cannabidiolic Acid (CBDA)	0.285	0.849	ND	ND	
Cannabidivarin (CBDV)	0.066	0.196	0.200	0.30	
Cannabidivarinic Acid (CBDVA)	0.119	0.354	ND	ND	
Cannabigerol (CBG)	0.057	0.185	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.238	0.772	ND	ND	
Cannabinol (CBN)	0.074	0.241	0.700	1.10	
Cannabinolic Acid (CBNA)	0.163	0.527	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.284	0.920	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.258	0.835	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.228	0.740	ND	ND	
Tetrahydrocannabivarin (THCV)	0.052	0.168	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.201	0.653	ND	ND	
Total Cannabinoids			40.390	65.40	
Total Potential THC			ND	ND	
Total Potential CBD			39.490	64.00	

Final ApprovalSam Smith
18May2023
01:01:00 PM MDT

PREPARED BY / DATE

Karen Winternheimer
18May2023
01:07:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/b6c8a4d9-d6b0-4fad-af16-d9c273f680c7>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

b6c8a4d9d6b04fadaf16d9c273f680c7.1