


Prepared for:

Dusty Beetles6580 Monona Drive
Monona, WI USA 53716**Cheetles 100MG**

Batch ID or Lot Number: 11/6/2022	Test: Potency	Reported: 15Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000227045	Started: 14Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.110	0.311	ND	ND	# of Servings = 1, Sample Weight=1.387g
Cannabichromenic Acid (CBCA)	0.101	0.285	ND	ND	
Cannabidiol (CBD)	0.257	0.806	ND	ND	
Cannabidiolic Acid (CBDA)	0.263	0.826	ND	ND	
Cannabidivarin (CBDV)	0.061	0.191	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.110	0.345	ND	ND	
Cannabigerol (CBG)	0.062	0.177	ND	ND	
Cannabigerolic Acid (CBGA)	0.261	0.739	ND	ND	
Cannabinol (CBN)	0.081	0.231	ND	ND	
Cannabinolic Acid (CBNA)	0.178	0.504	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.311	0.881	16.470	11.90	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.282	0.800	2.840	2.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.250	0.709	ND	ND	
Tetrahydrocannabivarin (THCV)	0.057	0.161	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.221	0.625	ND	ND	
Total Cannabinoids			19.310	13.90	
Total Potential THC			2.840	2.00	
Total Potential CBD			ND	ND	

Final ApprovalSam Smith
16Nov2022
05:21:00 PM MST

PREPARED BY / DATE

Karen Winternheimer
16Nov2022
05:26:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/df94e4f6-350e-43bf-982d-c8623f0c9ce5>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

df94e4f6350e43bf982dc8623f0c9ce5.1