


Prepared for:

CanniLabs10555 W Donges Ct
Milwaukee, WI USA 53224**CBG Distillate**

Batch ID or Lot Number: CL533222	Test: Potency	Reported: 05Dec2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000229273	Started: 02Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30Nov2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.150	0.607	ND	ND	
Cannabichromenic Acid (CBCA)	0.138	0.555	ND	ND	
Cannabidiol (CBD)	0.608	1.712	8.700	87.00	
Cannabidiolic Acid (CBDA)	0.624	1.756	ND	ND	
Cannabidivarin (CBDV)	0.144	0.405	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.260	0.732	ND	ND	
Cannabigerol (CBG)	0.085	0.345	74.240	742.40	
Cannabigerolic Acid (CBGA)	0.357	1.441	ND	ND	
Cannabinol (CBN)	0.111	0.450	ND	ND	
Cannabinolic Acid (CBNA)	0.244	0.983	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.425	1.716	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.386	1.559	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.342	1.381	ND	ND	
Tetrahydrocannabivarin (THCV)	0.078	0.313	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.302	1.218	ND	ND	
Total Cannabinoids			82.940	829.40	
Total Potential THC			0.000	0.00	
Total Potential CBD			8.700	87.00	

Final ApprovalSam Smith
05Dec2022
02:49:00 PM MST

PREPARED BY / DATE

Karen Winternheimer
05Dec2022
03:00:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/e6d2eb76-38d6-4ea9-9d0e-c8a1bbfaecdb>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

e6d2eb7638d64ea99d0ec8a1bbfaecdb.1