

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE

Minneapolis, MN USA 55413

Pom. Mint


Batch ID or Lot Number: 005	Test: Potency	Reported: 18Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000228089	Started: 16Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.188	0.664	ND	ND	# of Servings = 1, Sample Weight=473.176g
Cannabichromenic Acid (CBCA)	0.172	0.607	ND	ND	
Cannabidiol (CBD)	0.677	1.758	16.760	0.00	
Cannabidiolic Acid (CBDA)	0.694	1.803	ND	ND	
Cannabidivarin (CBDV)	0.160	0.416	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.290	0.752	ND	ND	
Cannabigerol (CBG)	0.107	0.377	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.446	1.576	ND	ND	
Cannabinol (CBN)	0.139	0.492	ND	ND	
Cannabinolic Acid (CBNA)	0.304	1.075	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.531	1.877	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.482	1.705	9.810	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.427	1.510	ND	ND	
Tetrahydrocannabivarin (THCV)	0.097	0.343	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.377	1.332	ND	ND	
Total Cannabinoids			26.570	0.00	
Total Potential THC			9.810	0.00	
Total Potential CBD			16.760	0.00	

Final ApprovalKaren Winternheimer
18Nov2022
03:22:00 PM MST

PREPARED BY / DATE

Sam Smith
18Nov2022
03:23:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f2213b40-6180-4ecb-b14d-dbc24131c1e3>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

f2213b4061804ecbb14ddbc24131c1e3.1