

Prepared for:

Dangerous Man Brewing Co.

1300 2nd St. NE


Minneapolis, MN USA 55413

Mango Tango

Batch ID or Lot Number: Mango Tango	Test: Potency	Reported: 27Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000231234	Started: 27Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.182	0.660	ND	ND	# of Servings = 1, Sample Weight=473.176g
Cannabichromenic Acid (CBCA)	0.167	0.604	ND	ND	
Cannabidiol (CBD)	0.716	1.745	15.730	0.00	
Cannabidiolic Acid (CBDA)	0.734	1.789	ND	ND	
Cannabidivarin (CBDV)	0.169	0.413	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.306	0.746	ND	ND	
Cannabigerol (CBG)	0.104	0.375	ND	ND	
Cannabigerolic Acid (CBGA)	0.433	1.567	ND	ND	
Cannabinol (CBN)	0.135	0.489	ND	ND	
Cannabinolic Acid (CBNA)	0.295	1.069	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.516	1.867	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.468	1.695	8.150	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.415	1.502	ND	ND	
Tetrahydrocannabivarin (THCV)	0.094	0.341	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.366	1.325	ND	ND	
Total Cannabinoids			23.880	0.00	
Total Potential THC			8.150	0.00	
Total Potential CBD			15.730	0.00	

Final ApprovalSam Smith
27Dec2022
12:44:00 PM MST

PREPARED BY / DATE

Karen Winternheimer
27Dec2022
12:47:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f3c64c01-a91e-4957-b3a0-6ce46f7a5607>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

f3c64c01a91e4957b3a06ce46f7a5607.1